

THS327

Cardan Adapter


knuckle joint

Scope of delivery : 1



THS327-158 THS327-317

Nr	description	Adapter Diameter [mm]	Max Diameter [mm]	Max Length [mm]	Max force [kN]	Weight [Gramm]
THS327-159	Cardan joint adapter male and female 15.9 mm (5/8")	15.98/15.9	34	95	20	
THS327-20	Cardan joint adapter male and female 20 mm	20/20	39	95	20	450
THS327-318	Cardan joint adapter male 31.7 and female 31,8 mm (10/8")	31.7/31.8	58	180	50	
THS327-32	Cardan joint adapter male and female 32 mm	32/32	58	166	50	
THS327-36	Cardan joint adapter male and female 36 mm	36/36	58	177	50	
THS327-40	Cardan joint adapter male and female 40 mm	40/40	88	246	100	
THS327-50	Cardan joint adapter male and female 50 mm	50/50	88	236	200	
THS327-60	Cardan joint adapter male and female 60 mm	60/60	106	283	250	





THS327-158-159

Male diameter 15.8mm
Pin Hole 8H7

Female diameter 15.9
Pin Hole 8H7

Load 20kN



<p>THS327-158-M-159</p> <p>Male 15.8mm Locking nut</p> <p>Female 15.9 mm</p> <p>20kN</p>	
	<p>Special Versions</p>
<p>THS327-20-M-20</p> <p>with lock Nut</p> <p>20mm</p>	 <p>The technical drawing shows two views of the THS327-20-M-20 assembly. The left view is a front elevation with dimensions: a top flange with an outer diameter of $\varnothing 20$ and a central hole of $\varnothing 8.02$; a middle section with a height of 11; a main body with a total height of 103; and a bottom flange with an outer diameter of $\varnothing 20$ and a central hole of $\varnothing 8$. The right view is a side elevation showing the profile of the assembly.</p>

THS327-M16-iM16

special



Special

THS327-2510-M3175L100

Female 25mm
Pin hole 10

Male
Pin diameter 3175
Length 100mm



THS327-M10-159
THS327-M16-317H2



THS327-M5-M5
Alu Light version
500N



THS327-36-36

36/18

50kN



THS327-60-G40

Gap 40mm

50kN




THS327-Am158-Am1665

Male Am158

Male Am1665

20kN



TH36-150+THS327-159



THS325-2-02 + THS327-159



TH16-D22-THS327-158-EX

See also www.grip.de/G17

4.2.2016 MT